



PANDA RESTAURANT GROUP INC.
1683 Walnut Grove Ave.
Rosemead, California
91770
Telephone: 626.799.9898
Facsimile: 626.372.8288

All ideas, designs, arrangement and plans indicated or represented by this drawing are the property of Panda Express Inc. and were created for use on this specific project. None of these ideas, designs, arrangements or plans may be used by or disclosed to any person, firm, or corporation without the written permission of Panda Express Inc.

REVISIONS:

ISSUE DATE:

1 03.04.2022 ISSUE FOR PERMIT

DRAWN BY: BSP

PANDA PROJECT #: - S8-22-D8698

C&P PROJECT #: - 2210806



2600 Maitland Center Parkway
Suite #200
Maitland, FL 32751
P (407) 661-9100
F (407) 661-9101
c-p.com

03.04.2022


PANDA EXPRESS

TRUE WARM AND WELCOME 2200
3030 DERITA ROAD
CONCORD, NC 28027

E-400

HOT - MEDIUM
ELECTRICAL DETAILS, DIAGRAMS


TRUE WARM & WELCOME 2200 R4



LIGHT FIXTURE DETAIL 4

NOT TO SCALE E-400

DEVICE ORIENTATION




DEVICE & COVERPLATE COLOR

LOCATION	DEVICE COLOR	COVER PLATE COLOR	NOTES
DINING ROOM (WALLS)	VERIFY W/PX	VERIFY W/PX	VERIFY WITH PANDA PM PRIOR TO PURCHASE AND INSTALL
DINING ROOM (IN BULKHEAD ABOVE WINDOWS)	VERIFY W/PX	VERIFY W/PX	VERIFY WITH PANDA PM PRIOR TO PURCHASE AND INSTALL
DINING ROOM (WHEN IN CEILING)	BLACK	BLACK	@ SHOW WINDOW IN DARK CEILING (IF APPLICABLE)
RESTROOM	GREY	STAINLESS STEEL	--
RESTROOM VESTIBULE	GREY	STAINLESS STEEL	--
KITCHEN/SERVICE AREAS	GREY	STAINLESS STEEL	--

DEVICE / RECEPTACLE SCHEDULE 3

NOT TO SCALE E-400

1. WIRING SHOULD BE DONE ACCORDING WITH NATIONAL AND LOCAL CODE.
2. CHECK VOLTAGE ON CONDENSING UNIT AND EVAPORATOR COIL BEFORE ANY WORK IS DONE.
3. SOLID LINES TO BE WIRED BY LICENSED ELECTRICIAN ON SITE. DOTTED LINES ARE MANUFACTURE PRE-WIRED.
4. ANY PENETRATIONS THROUGH BOX SHALL BE SEALED AIR TIGHT.




WIC / WIF WIRING NOTES 6

NOT TO SCALE E-400


ANSUL PULL STATION DETAIL 2

NOT TO SCALE E-400



EXHAUST FAN CONTROL DIAGRAM 5

NOT TO SCALE E-400




FREEZER LTG & DOOR HTR WIRING DIAGRAM 10

NOT TO SCALE E-400


FREEZER EVAPORATOR COIL 9

NOT TO SCALE E-400




COOLER EVAPORATOR COIL 8

NOT TO SCALE E-400




PHOTOCELL/TIME CLOCKS 12

NOT TO SCALE E-400




CONTRACTOR TO LABEL TIMECLOCK "BUILDING LIGHTS"

A




CONTRACTOR TO LABEL TIMECLOCK "DRIVE THROUGH"

B



CONTRACTOR TO LABEL TIMECLOCK "SIGNS"

C




CONTRACTOR TO LABEL TIMECLOCK "PARKING LOT"

D

TIME CLOCKS 11

NOT TO SCALE E-400



FIRE SUPPRESSION SHUTDOWN 14

NOT TO SCALE E-400