

SECTION 20

SCALE: ¾"=1'-0" S-200

NOT USED 16

SCALE: N.T.S. S-200

NOT USED 12

SCALE: N.T.S. S-200



SECT. "A"



SECTION 4

SCALE: ¾"=1'-0" S-200



SECTION 19

SCALE: ¾"=1'-0" S-200



TYPICAL LIGHT POLE SECTION 15

SCALE: N.T.S. S-200



TRASH ENCLOSURE WALL 11

SCALE: ¾"=1'-0" S-200

REF. 02/S-200 FOR INFO NOT SHOWN



SECTION 7

SCALE: ¾"=1'-0" S-200



SECTION 3

SCALE: ¾"=1'-0" S-200



SECTION 18

SCALE: ¾"=1'-0" S-200

HOLDOWN	SCREW #	CAST IN PLACE REQUIREMENTS: ANCH. BOLT	CAST IN PLACE REQUIREMENTS: BOLT EMBED	EPOXY OPTION REQUIREMENTS: BOLT EMBED
S/HDU4	(6) #14 SCREWS	⅝"ø	1'-0"	12"

NOTE: ADD LENGTH TO BOLTS EXTENDING THROUGH CURBS.



NOTE: EPOXY OPTION IS BASED ON SIMPSON SET-XP DESIGN VALUES. EPOXY SUBSTITUTIONS MUST BE APPROVED BY STRUCTURAL ENGINEER OF RECORD BEFORE PLACEMENT.



TYPICAL HOLDOWN DETAIL- LIGHT GAGE 10

SCALE: ¾"=1'-0" S-200



SECTION 6

SCALE: ¾"=1'-0" S-200



SECTION 2

SCALE: ¾"=1'-0" S-200



SLAB AT NON BEARING WALL 17

SCALE: N.T.S. S-200



HOLDOWN	STUDS	SCREW #	CAST IN PLACE REQUIREMENTS: ANCH. BOLT	CAST IN PLACE REQUIREMENTS: BOLT EMBED	EPOXY OPTION REQUIREMENTS: BOLT EMBED
HDU2-SDS2.5	3	(6) SDS ¼"x2½"	⅝"ø	1'-0"	10"
HDU5-SDS2.5	3	(14) SDS ¼"x2½"	⅝"ø	1'-0"	12"
HDU8-SDS2.5	3	(20) SDS ¼"x2½"	⅞"ø	1'-0"	12"
HDU14-SDS2.5	6x6	(36) SDS ¼"x2½"	1"ø	1'-0"	16"

NOTE: ADD LENGTH TO BOLTS EXTENDING THROUGH CURBS.

NOTE: EPOXY OPTION IS BASED ON SIMPSON SET-3G DESIGN VALUES. EPOXY SUBSTITUTIONS MUST BE APPROVED BY STRUCTURAL ENGINEER OF RECORD BEFORE PLACEMENT.

TYPICAL HOLDOWN DETAIL- WOOD 9

SCALE: N.T.S. S-200



SECTION 5

SCALE: ¾"=1'-0" S-200

PANDA EXPRESS, INC.
1683 Walnut Grove Ave.
Rosemead, California
91770
Telephone: 626.799.9898
Facsimile: 626.372.8288

All ideas, designs, arrangement and plans indicated or represented by this drawing are the property of Panda Express Inc. and were created for use on this specific project. None of these ideas, designs, arrangements or plans may be used by or disclosed to any person, firm, or corporation without the written permission of Panda Express Inc.

REVISIONS:

ISSUE DATE:

1st	PERMIT/BID SET	01-13-20

DRAWN BY:

PANDA PROJECT #: S8-20-D6790

ARCH PROJECT #: 18044.035

BRITT PETERS AND ASSOCIATES INC
consulting engineers
101 Falls Park Drive
Suite 601
Greenville, SC 29601
(864) 271-8869
(864) 233-5140 Fax
www.brittpeters.com
BPA Job No. 190893

PANDA EXPRESS

TRUE WARM & WELCOME 2300
CANAL ST. & WINCHESTER BLVD
CANAL-WINCHESTER, OH 43110

S-200

FOUNDATION DETAILS

PERMIT/BID SET 01-13-20

TRUE WARM & WELCOME 2300 R1